

PRODUCT DATASHEET

TRITEL – 3-dimensional Space Dosimetry Monitor

1st generation

PROJECT TITLE	-
PROJECT REF.	PRO2020
PREPARED BY	REMRED Space Technologies Ltd.
SUPERVISOR	István Apáthy, istvan.apathy@remred.hu
ISSUE	01_00
DATE OF ISSUE	01/04/2020
STATUS	Released
TYPE	Product Datasheet, Non-Confidential
REFERENCE	PRO2020-RR-PQA-DS-012_01_00
CUSTOMER(S)	-
CONTRACT REF.	-
CUSTOMER ID.	-

©REMRED 2020

The copyright in this document is vested in REMRED Ltd. This document may only be reproduced in whole or in part, or stored in a retrieval system, or transmitted in any form, or by means of electronic, mechanical, photocopying or otherwise, either with the prior permission of REMRED Ltd.

QUA2020-RR-PQA-DS-001_00_01

APPROVAL

Issue	Date	Signatures		
		Author(s)	Reviews by	Approved by
01_00	01/04/2020	Andras Gerecs	Anna Baranyai	Istvan Apathy

DISTRIBUTION LIST

Company	Name	No. of copies
N/A	N/A	N/A
REMRED archives		1

CHANGE LOG

Reference	Date	Issue	Revision
PRO2020-RR-PQA-DS-012_01_00	01/04/2020	01_00	1

CHANGE RECORD

Issue: 01_00	Revision: 1		
Reason for change	Date	Page	Paragraph(s)
N/A (initial release).			

TABLE OF CONTENTS

1	Purpose and Scope	4
2	Application and Key Features	5
	2.1 APPLICATION	5
	2.2 KEY FEATURES.....	5
3	Specification	6
	3.1 GENERAL SPECIFICATION	6
	3.2 ENVIRONMENTAL SPECIFICATION	6
	3.3 INTERFACES	7
	3.4 MEASUREMENT CAPABILITIES.....	7
4	Flight Heritage	8
5	List of Abbreviations	9
6	List of Figures	10
7	List of Tables	11
8	References	12
	8.1 APPLICABLE AND NORMATIVE DOCUMENTS.....	12
	8.2 REFERENCE DOCUMENTS.....	12

1 Purpose and Scope

The present document provides detailed technical information about the TRITEL 3-dimensional Space Dosimetry Monitor.

The definitions and glossary of terms from ECSS-S-ST-00-01C [AD 1] apply to this document.



1. Figure – TRITEL Monitor (Detector Unit, 1st generation)

2 Application and Key Features

2.1 APPLICATION

- ✓ **Space Dosimetry Monitoring for Manned Missions**
 - Proven space dosimetry instrument for manned space missions
 - To determine the absorbed dose and dose equivalent of in real time
 - To study shielding effects of the surrounding environment
 - Operated several times on-board the International Space Station
- ✓ **Space Radiation Research**
 - To determine the LET-spectrum of the incoming space radiation
 - To determine the average quality factor of the space radiation
 - To measure long-term radiation flux profiles
 - To obtain space weather related real-time data set
 - Operated on-board the ESEO SmallSat

2.2 KEY FEATURES

- ✓ **Space dosimetry instrument for manned space missions to determine the absorbed dose, dose equivalent, LET-spectrum and quality factor in space**
- ✓ **Can be used in satellite missions**
- ✓ **3-dimensional silicon detector telescope system**
- ✓ **Fully autonomous operation**
- ✓ **Controlled via TM/TC**
- ✓ **Available interfaces: CAN, RS-485, RS-232**

3 Specification

3.1 GENERAL SPECIFICATION

1. Table – General specification

	Detector Unit
Power	2.6 W
Mass	~ 0.9 kg
Dimensions (H, W, L)	83 mm; 107 mm; 155 mm
Operational temperature range	-40°C...+40°C
Non-operational temperature range	-40°C...+85°C
Outgassing rate	<1% TML <0.1% CVCM
Data range	0.33 MB/day
Handling environment humidity	20...65% relH

3.2 ENVIRONMENTAL SPECIFICATION

2. Table – Environmental specification

Parameters	Values	
Thermal vacuum	Temperature environment	-40°C...+85°C
	Vacuum environment	<10 ⁻³ Pa
	Max. depressurisation rate	5.0 kPa/s
Vibration	Sine vibration environment for 3-axis	20...100 Hz, 16.0 g
	Random vibration environment for 3-axis	5...2000Hz, 17.0g ^{RMS}
	Shock pulse for 3-axis	100 g, 0.25 ms
EMC	EMC environment	Tailored ECSS-E-ST-20-07C Rev.1 [AD 2]
Radiation	Used components	COTS
	Proven lifetime	>3 years proven lifetime in LEO

3.3 INTERFACES

3. Table – Interfaces

Parameters	Values
Input power bus	17.0 V...34 V (non-redundant or redundant)
TM/TC interface	CAN Bus / RS-232 / RS-485 (non-redundant or redundant)

3.4 MEASUREMENT CAPABILITIES

4. Table – Measurement capabilities

Parameters	Values
Particle types	electrons, protons, heavy ions
Flux range (isotropic)	$1.5 \cdot 10^{-1} - 4.5 \cdot 10^4 \text{ cm}^{-2}\text{s}^{-1}$
Count rate range (<10% dead time)	0-50,000 cps
LET in water range	0.2 – 70 MeV
Deposited energy range	50 keV – 70 MeV
Minimum absorbed dose rate in water	50 nGy/h
(for relativistic protons with energy deposit of =100 keV in SI)	10 mGy/h
Maximum absorbed dose rate in water	0.5 Gy/h
(for relativistic protons with energy deposit of =100 keV in SI)	7 Gy/h

5. Table – 3-dimensional Telescope System specification

Parameters	Values
Radius of the detectors	8.4 mm
Effective surface of the detectors	222 mm ²
Geometric factor G (for one telescope axls in 4 π)	5.1 cm ² sr
Maximum angle of incidence (for one detector pair)	62.1°
Average path length in the detector (assuming an isotropic field)	361 μm
Ratio of the maximum and minimum path lengths	2.14

4 Flight Heritage

6. Table – Flight heritage

Mission name	Hosting platform	Orbit details	Duration	Remarks
TRITEL-SURE	ISS Columbus module	LEO 300-400 km	6 months	One detector unit and one central handling unit
TRITEL-RS	ISS Zvezda module	LEO 300-400 km	>3 years	One detector unit and one central handling unit
ESEO-TRITEL	ESEO SmallSat	LEO 500-600 km	-	One detector unit

5 List of Abbreviations

AD	Applicable Documents
COTS	Commercial Off-The-Shelf
CVCM	Collected Volatile Condensed Material
ECSS	European Cooperation for Space Standardization
ESEO	European Student Earth Orbiter
ISS	International Space Station
LEO	Low Earth Orbit
LET	Linear Energy Transfer
RD	Reference Documents
TC	Telecommand
TM	Telemetry
TML	Total Material Loss

6 List of Figures

1. Figure – TRITEL Monitor (Detector Unit, 1st generation).....4

7 List of Tables

1. Table – General specification	6
2. Table – Environmental specification	6
3. Table – Interfaces	7
4. Table – Measurement capabilities	7
5. Table – 3-dimensional Telescope System specification	7
6. Table – Flight heritage	8
7. Table – Applicable and Normative Documents	12
8. Table – Reference Documents	12

8 References

8.1 APPLICABLE AND NORMATIVE DOCUMENTS

7. Table – Applicable and Normative Documents

AD	Title	Reference	Issue
[AD 1]	ECSS system - Glossary of terms	ECSS-S-ST-00-01C	1 Oct 2012
[AD 2]	Space engineering – Electromagnetic compatibility	ECSS-E-ST-20-07C Rev.1	7 Feb 2012

8.2 REFERENCE DOCUMENTS

8. Table – Reference Documents

RD	Title	Reference	Issue
[RD 1]	-	-	-

END OF DOCUMENT